

# Terminal Clean Request

Date of Request: \_\_\_\_\_

Date of Completion: \_\_\_\_\_

Name of person requesting terminal clean: \_\_\_\_\_

Name and address of clinic requesting terminal clean: \_\_\_\_\_

Phone Number: \_\_\_\_\_

**Reason for Terminal Clean (See Below):** \_\_\_\_\_

**Level 1**

- Active open wound/infection with suspected or confirmed extensively drug resistant organism (**XDRO**)
  - Carbapenem Resistant Enterobacter - CRE
  - Carbapenem Resistant Acinetobacter – CRAB
  - Candida Auris
- Cystic Fibrosis Patients
- \*Crusted (Norwegian) Scabies - characterized by vesicles and thick crusts over the skin that can contain many mites.

**Level 2**

Infections that require a bleach clean (1:10 concentration made every 24 hours??)

- Suspected or confirmed Hand, Foot, Mouth Disease (HFMD)
- Suspected or confirmed C. Diff (with active diarrhea)
- Suspected or confirmed Norovirus (with active diarrhea and/or vomiting)

**Level 3**

Pesticide Treatment - post pest control inspection and treatment with pesticide

- Bed Bugs
- Roaches

**Level 4**

Construction (expected to be completed by construction team or not??) **If not, remove**  
Completion of renovation, repair, or construction projects

Items **NOT** requiring a Terminal Clean

**(Please follow AMG Exam Room in between patient cleaning SPL):**

1. Scabies – requires thorough vacuuming of the exam room floor and furniture. The vacuum bag must be double bagged and discarded outside of building.
2. Lice
3. Spills of bodily fluids and specimens – Team member to use blood borne pathogen (BBP) spill kit
  - a. Blood, urine, vomit, etc.
4. Infections spread through the air
  - Chicken Pox, Measles, Tuberculosis
    - Room must stay vacant for at least 2 hours prior to cleaning
5. Infections spread by droplets
  - Pertussis, Influenza, Mumps

Created 3/18/2019

AMG Infection Prevention Team

Revised:

# Terminal Clean Request

## **Important to Note:**

1. Do NOT disconnect any equipment
2. Do NOT move any uncleaned equipment into clean rooms
3. Keep all equipment inside rooms while cleaning
4. Keep doors CLOSED while cleaning
5. PPE needs to be removed while still inside the room after Terminal Clean

## **Procedure:**

Put on appropriate apparel, such as impervious gown, goggles, shoe covers, and gloves. Crew MUST wear goggles and gloves always.

\*Bee Line staff is NOT to clean any rooms where bed bugs or any other insects were seen unless client confirms it has been inspected and cleared by pest control.

## **Terminal cleaning of rooms and bathrooms**

1. Prepare quaternary ammonia germicidal detergent solutions
  - a. Level 2 Terminal Clean requires beach clean
    1. Utilize healthcare-based bleach wipes that contain 1:10 bleach solution
    2. Prepare 1:10 bleach solution (discard after 24 hours)
2. Remove all trash and seal in large liner
3. Working from top to bottom and back to front of room
4. Wet wipe top of any cabinets, window ledges, pictures, etc.
5. Clean and disinfect high touch surface areas
  - a. Exam table
    1. Exam table drawers and handles
    2. Leg stirrups
    3. Area under exam table bed where paper cover is stored
  - b. Door knobs and handles
  - c. Light switches
  - d. Wall railings
  - e. Hand sanitizer and soap dispensers
  - f. Chairs
  - g. Sink faucets and handles
  - h. Grab bars
6. Spot clean walls
7. Clean toilets
8. Pick up all debris from floors
9. Wet mop floor using germicidal detergent solution
10. At end of terminal clean discard detergent solution, disinfectant wipes (if used) and place microfiber cloths and mop heads in soiled laundry container for pick up by laundry service

## References

Created 3/18/2019

AMG Infection Prevention Team

Revised:

# Terminal Clean Request

1. Center for Disease Control (CDC). Guide to Infection Prevention for Outpatient Settings: Minimum Expectations for Safe Care. (2016).  
<https://www.cdc.gov/infectioncontrol/pdf/outpatient/guide.pdf>
2. CDC Guidelines for Environmental Infection Control in Health-Care Facilities. (2014).  
[https://www.cdc.gov/hai/pdfs/eic\\_in\\_HCF\\_03.pdf](https://www.cdc.gov/hai/pdfs/eic_in_HCF_03.pdf)
3. Association for Professionals in Infection Control and Epidemiology (APIC). (2014) APIC Text 4<sup>th</sup> Edition.
4. Association of peri-Operative Registered Nurses (AORN). (2018)  
<https://www.aorn.org/guidelines/guideline-implementation-topics/aseptic-technique/environmental-cleaning>

Created 3/18/2019

AMG Infection Prevention Team

Revised: